

PX503759 Battery Spec.

Model: <u>PX503759</u>

Stock Code: 900.869.503.178

Cell Type: PX503759

Nominal Voltage: 3.7V

Capacity: 1050mAh

Draft	Checking	Approved	Customer Confirmation
Dora	Peter		

PX503759 Battery Spec www.power-xtra.com page 1 of 10



1. Revision History 版本记录

Revision	Date	Editor	Contents
版本	日期	编著	内容
A0	2018-03-20	Dora	Draft

PX503759 Battery Spec www.power-xtra.com page 2 of 10



2. Product Specification 产品技术规格

(单电芯 Single cell)

No.	Item	General Parameter		Remark
4	But I Commit	Typical	1050mAh	Standard discharge (0.2C) after
1	Rated Capacity	Minimum	1025mAh	Standard charge
2	Nominal Voltage	3.7V	•	Mean Operation Voltage
3	Voltage at end of Discharge	2.75V		Discharge Cut-off Voltage
4	Charging Voltage	4.2±0.03V		
5	Internal Impedance	≤180mΩ		Internal resistance measured at AC 1KHZ after 50% charge The measure must uses the new batteries that within one week after shipment and cycles less than 5 times
6	Weight	About 20 g		
7	Standard charge	Constant Current 0.2C Constant Voltage 4.2V 0.01 C cut-off		
		Constant current 0.2C		
8	Standard discharge	end voltage2.75V		
9	Fast charge	Constant Current 1.0C Constant Voltage 4.2V 0.01C cut-off		
10	Fast discharge	Constant current 1.0 end voltage 2.75V	OC .	
11	Maximum Continuous Charge Current	1.0C		
12	Maximum Continuous Discharge Current	1.0C		
13	Operation Temperature	Charge: 0~45°C		60±25%R.H.
נו	Range	Discharge: -20~60°C		Bare Cell
14	Storage Temperature	Less than 1 year: -20~25°C		60±25%R.H.
17	Range	less than 3 months:	-20~40°C	at the shipment state
		Length 长(L)	59.0±0.5mm	
15	Single cell	Width 宽(W)	37.0±0.5mm	Initial Dimension
		Thickness 厚(T)	5.0±0.2mm	



3. Performance And Test Conditions 电池性能及测试条件

3.1 Standard Test Conditions 标准测试条件

Test should be conducted with new batteries within one week after shipment from our factory and the cells shall not be cycled more than five times before the test. Unless otherwise specified, test and measurement shall be done under temperature of $20\pm5^{\circ}\mathrm{C}$ and relative humidity of 45--85%. If it is judged that the test results are not affected by such conditions, the tests may be conducted at temperature $15\text{--}30^{\circ}\mathrm{C}$ and humidity 25--85%RH.

测试必须使用出厂时间不超过一个星期的新电池,且未进行过五次以上的充放电循环。除非特别说明,否则测试会在温度 20±5℃,相对湿度 45~85%的条件下进行。如果经鉴定测试结果不受上述条件影响,测试也可以在温度 15~30℃,相对湿度 25~85%RH 的条件下进行。

- 3.2 Measuring Instrument or Apparatus 测量器具及设备
- 3.2.1 Dimension Measuring Instrument 尺寸测量器具

The dimension measurement shall be implemented by instruments with equal or more precision scale of 0.01mm.

尺寸测量器具的精度等级应不小于 0.01 mm。

3.2.2 Voltmeter 伏特计

Standard class specified in the national standard or more sensitive class having inner impedance more than $10k\Omega/V$

按照国家标准指定规格等级或采用灵敏度更高的,测量电压时内阻不应小于 10kΩ/V。

3.2.3 Ammeter 安培计

Standard class specified in the national standard or more sensitive class. Total external resistance including ammeter and wire is less than 0.01Ω .

按照国家标准指定规格等级或采用灵敏度更高的,包括电流表及电线在内的总外阻应小于0.01Ω。

3.2.4 Impedance Meter 电阻计

Impedance shall be measured by a sinusoidal alternating current method(1kHz LCR meter). 内阻测试仪测量原理应为交流阻抗法(1kHz LCR)。

3.3 Appearance 外观

There shall be no such defect as flaw, crack, rust, leakage, which may adversely affect commercial value of battery.

电池外观应没有划伤、破裂、污渍、生锈、漏液等影响市场价值的缺陷存在。

3.4 Temperature Dependence of discharge capacity 放电温度特性

Table 3 (表 3)

Discharge Temperature (放电温度)	-10°C	0°C	23℃	60 °C
Discharge Capacity (0.2C) (放电容量/0.2C)	50%	80%	100%	95%



3.5 Cycle Life and Leakage-Proof 循环寿命及漏液试验

Table 4(表 4)

No.	Item	Criteria	Test Conditions
(序号)	(项目)	(标准)	(测试条件)
1	Cycle Life (循环寿命) (0.5C)	Higher than 70% of the Initial Capacities of the Cells (初始容量的 70%)	Carry out 500cycle Charging/Discharging in the below condition. ◆ Charge:Standard Charge ◆ Discharge:0.5C to 2.75 V ◆ Rest Time between charge/discharge:30min. ◆ Temperature:20±5°C 循环 500 次 充放电按以下条件: ◆ 充电:标准充电 ◆ 放电:0.5C 放至 2.75V ◆ 搁置:30min. ◆温度:20±5°C
2	Leakage-Proof (漏液试验)	No leakage (visual inspection) (没有漏液/目测)	After full charge with standard charge, store at 55±3℃, 60±10%RH for 1 week. 标准充电条件下充满电后在温度 55±3℃,湿度 60±10%RH 下储存一个星期

4. Mechanical characteristics and Safety Test for Cell 电芯安全测试及机械特性

Table 5(表 5)

(Mechanical characteristics)

		(**************************************	eat characteristics)
No.	Items	Test Method and Condition	Criteria
(序号)	(项目)	(测试方法及条件)	(标准)
1	Vibration Test 振动测试	After standard charging, fixed the cell to vibration table and subjected to vibration cycling that the frequency is to be varied at the rate of 1Hz per minute between 10Hz an 55Hz, the excursion of the vibration is 1.6mm. The cell shall be vibrated for 30 minutes per axis of XYZ axes. 将标准充电后的电芯固定在振动台上,沿 X、Y、Z 三个方向各振动 30 分钟,振幅 1.6mm,振动频率为 10Hz~55Hz,每分钟变化 1Hz。	No leakage 无泄漏 No fire 不起火
2	Drop Test 跌落测试	The cell is to be dropped from a height of 1 meter twice onto concrete ground. 将标准充电后的电芯从 1 米高度跌落至混凝土地面 2 次	No explosion, No fire, no leakage. 无爆炸、无起火 、无泄 漏
Item	Battery	Test Method	Requirements
(项目)	Condition	(测试方法)	(要求)



	(电池要求)		
Crush (挤压试 验)	Fresh, Fully charged (充满电的新电 池)	Crush between two flat plates. Applied force is about 13kN(1.72Mpa) for 30min. (电池放置在两块平面金属板间,施加 13KN(1.72Mpa)的作用力,且持续保持 30 分钟)	No explosion, No fire (无起火无爆炸)
Short Circuit (短路试验 20℃)	Fresh, Fully charged (充满电的新电 池)	Each test sample battery, in turn, is to be short-circuited by connecting the (+) and (-) terminals of the battery with a Cu wire having a maximum resistance load of 0.1Ω . Tests are to be conducted at room temperature(20 ± 2 °C). (在常温下约 20 ± 2 °C依次把每个样品电池的正负极用铜线连接起来使电池外部短路线路总电阻不超过 0.1Ω)	No explosion, No fire The Temperature of the surface of the Cells are lower than 150℃ (无起火无爆炸电池表面温度应低于150℃)
Short Circuit (短路试验 60℃)	Fresh, Fully charged (充满电的新电 池)	Each test sample battery, in turn, is to be short-circuited by connecting the (+) and (-) terminals of the battery with a Cu wire having a maximum resistance load of 0.1Ω . Tests are to be conducted at temperature(60 ± 2 °C). (在常温下约 60 ± 2 °C依次把每个样品电池的正负极用铜线连接起来使电池外部短路线路总电阻不超过 0.1Ω)	No explosion, No fire The Temperature of the surface of the Cells are lower than 150℃ (无起火无爆炸 电池表面温度应低于 150℃)
Impact (冲击试 验)	Fresh, Fully charged (充满电的新电 池)	A 56mm diameter bar is inlayed into the bottom of a 10kg weight. And the weight is to be dropped from a height of 1m onto a sample battery and then the bar will be across the center of the sample. (用一条直径为 56mm 的圆棒放置 在电池中央,将一 10Kg 的重锤从 1m 的高度垂直落下在电池的中心位置)	No explosion, No fire (无起火无爆炸)
Forced Discharge (过放试 验)	Fresh, Fully charged (充满电的新电 池)	Discharge at a current of 1.0Cfor 2.5h. (以 1.0C 的电流放电 2.5 小时)	No explosion, No fire (无起火无爆炸)
Nail Pricking (针刺试 验) (3mm)	Fresh, Fully charged (充满电的新电 池)	Prick through the sample battery with a nail having a diameter of 3mm and remain 2h. (用直径为 3mm 的钉子刺穿电池并保持 2 个小时)	No explosion, No fire (无起火无爆炸)



5. Protection circuit 保护电路

(PCM Standard 保护板标准)

Standard 保护板		Contract	Cuitouiou
Item	Symbol	Content	Criterion
(项目)	(符号)	(详细内容)	(标准)
		Max.Charging Current (最大持	1.5A
Current (电	IDP	续充电电流)	
流)		Max.Discharging (最大持	1.5A
		续放电电流)	
	VDET1	Over charge detection voltage	4.28±0.05V
Over charge	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(过充电检测电压)	
Protection	tVDET1	Over charge detection delay time	80–200ms
(过充保护)	CVDETT	(过充电检测延迟时间)	00 200113
(ATTIMITY)	VREL1	Over charge release voltage	4.10±0.05V
	VINLLI	(过充电解除电压)	4.10±0.03V
	VDET4	Over discharge detection voltage	2.40.0.40\/
	VDET1	(过放电检测电压)	2.40±0.10V
Over discharge	1) (DET.4	Over discharge detection delay time	10, 100
protection	tVDET1	(过放电检测延迟时间)	40-120ms
(过放保护)		Over discharge release voltage	
	VREL1	(过放电解除电压)	3.00±0.1V
	VDET3	Over current detection voltage	
		(过电流检测电压)	1.30±0.5V
		Over current detection current	
Over current	IDP	(过电流保护电流)	3.5±1.5A
protection	tVDET3	Detection delay time	
(过流保护)		(检测延迟时间)	5-20ms
		Release condition	Cut load
		(保护解除条件)	(断开负载)
		Detection condition	Exterior short circuit
		(保护条件)	(外部电路短路)
Short protection		Detection delay time	(\1 Hb. Cm1\mm h1)
(短路保护)	TSHOR	(检测延迟时间)	5-120ms
(\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Release condition	Cut short circuit
		(保护解除条件)	(断开短路电路)
Interior		(1水) 州州水水(丁)	(四八八年十七年)
Interior resistance RDS		Main loop electrify resistance	VC-2 5V DDC-24m0
		(主回路通态电阻)	VC=2.5V,RDS≤34mΩ
(内阻)			
Current	IDD	Current consume in normal operation	2 Out Time (Out 11-11
consumption IDD		(工作时电路内部消耗)	3.0µA Type 6.0µA Max
(消耗电流)			



6. Handling of Cells

- 6.1 Consideration of strength of film package
 - 1) Soft Aluminium foil

Easily damaged by sharp edge parts such as pins and needles, Ni-tabs, comparing with metal-can-cased LIB

- 2). Sealed edge may be damaged by heat above 100°C, bend or fold sealed edge.
- 6.2 Prohibition short circuit

Never make short circuit cell. It generates very high current which causes heating of the cells and may cause electrolyte leakage, gassing or explosion that are very dangerous.

The Power-Xtra tabs may be easily short-circuited by putting them on conductive surface. Such outer short circuit may lead to heat generation and damage of the cell.

An appropriate circuitry with PCM shall be employed to protect accidental short circuit of the battery pack.

6.3. Mechanical shock

Power-Xtra cells have less mechanical endurance than metal-can-cased LIB.

Falling, hitting, bending, etc. may cause degradation of Power-Xtra characteristics.

6.4 Handling of tabs

The battery tabs are not so stubborn especially for aluminum tab.

Don't bend tab.


Do not bend tabs unnecessarily.

7. Storing the Batteries

The batteries should be stored at room temperature, charged to about 30% to 50% of capacity. We recommend that batteries be charged about once per half a year to prevent over discharge.



8. Dimension 尺寸



	PCM	Normal PCM 常规保护板(1.5A)
	Length Cable 线长(L)	100±5mm
Dina anaisana 🖂 👆	Height 高(H)	61.0±1mm
Dimensions 尺寸 (Units 单位: mm)	Width 宽(W)	37.0±1mm
	Thickness 厚(T)	5.2±0.5mm
	T1	2mm(Tin plating 浸锡)
	Cable 线号	1007#26AWG

PX503759 Battery Spec www.power-xtra.com page 9 of 10



9. Drawing of Label 标签图

PET 透明标签,标签日期按出货月份更改; YY 为年, MM 为月,年在前,月份在后,(YYMM),如:1709(2017年09月)。标签内容待定。

10. Drawing Packing 包装图

整齐装托盘,内置防潮袋,每箱不超 10KG;客户定制 Logo 纸箱,外箱 Logo 格式如下:



ENA-13 Bar code 条形码/侧唛:

贴于纸箱正/背两侧,侧唛尺寸视情况而定:

PO NO.	Order	根据每次订单更改
MODEL NO.	900.869.503.178	
QTY	500PCS	⟨───────根据每箱数量更改
DATE	YYYY-MM-DD	⟨────根据出货日期更改
Мас		
8 6801		